

SAFETY DATA SHEET

Dr Beckmann Colour Run Remover for Whites

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

PRODUCT NAME Dr Beckmann Colour Run Remover for Whites

SUPPLIER ACDOPRO Ltd
Mallison Street
Bolton
Lancashire BL1 8PP
Tel 01204 600500
Fax 01204 600501

2 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

3 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
SODIUM CARBONATE	207-838-8	497-19-8	15-30%	Xi;R36
Sodium Hydrosulphite		7775-14-6	5-15%	Xn;R22. O;R7. R31.

The Full Text for all R-Phrases are Displayed in Section 16

4 FIRST-AID MEASURES

INHALATION

Move the exposed person to fresh air at once. Get medical attention if any discomfort continues.

INGESTION

DO NOT INDUCE VOMITING! Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Get medical attention immediately!

SKIN CONTACT

Wash the skin immediately with soap and water. Contact physician if irritation continues.

EYE CONTACT

Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes and get medical attention.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

Use fire-extinguishing media appropriate for surrounding materials.

SPECIAL FIRE FIGHTING PROCEDURES

Keep run-off water out of sewers and water sources. Dike for water control. If risk of water pollution occurs, notify appropriate authorities.

6 ACCIDENTAL RELEASE MEASURES

SPILL CLEAN UP METHODS

DO NOT touch spilled material. Sweep up and remove for disposal Residues or small spillages may be flushed away with water. Inform authorities if large amounts are involved.

7 HANDLING AND STORAGE

STORAGE PRECAUTIONS

Keep in dry well ventilated area. Avoid oxidising materials and acids.

STORAGE CLASS

Do not stack more than 2 pallets high

Dr Beckmann Colour Run Remover for Whites

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	TWA - 8 hrs		STEL - 15 min		Notes
SODIUM CARBONATE	WEL		No std.		No std.	
Sodium Hydrosulphite			No std.		No std.	

WEL = Workplace Exposure Limit.

HYGIENE MEASURES

No special practices noted. No specific hygiene procedures noted, but good personal hygiene practices are always advisable, especially when working with chemicals.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE	Granular
COLOUR	White / off-white
ODOUR	Sulphurous
SOLUBILITY	Soluble in water.
pH-VALUE, DILUTED SOLUTION	pH 11 @ 1% %

10 STABILITY AND REACTIVITY

CONDITIONS TO AVOID

Damp and warm conditions should be avoided.

MATERIALS TO AVOID

Store away from oxidising agents and acidic materials

HAZARDOUS DECOMPOSITION PRODUCTS

Fire or high temperatures create: Sulphurous gases (SOx).

11 TOXICOLOGICAL INFORMATION

INHALATION

Causes - temporary discomfort, coughing

INGESTION

Causes - irritation of the mucous membranes.

SKIN CONTACT

Prolonged or repeated exposure may cause severe irritation.

EYE CONTACT

Causes - severe irritation and discomfort.

12 ECOLOGICAL INFORMATION

DEGRADABILITY

No information available.

ACUTE FISH TOXICITY

May be toxic to fish at high concentrations

WATER HAZARD CLASSIFICATION

No information available.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Empty packaging may be disposed of as general industrial waste.

Dr Beckmann Colour Run Remover for Whites

DISPOSAL METHODS

Dispose of waste and residues in accordance with local authority requirements. Disposal may be made to an authorised landfill site.
Dispose of in accordance with Control of Pollution Act 1974 and in accordance with local authority regulations.

14 TRANSPORT INFORMATION

GENERAL This product is not classified as dangerous for transport
UN NO. ROAD 0

15 REGULATORY INFORMATION

RISK PHRASES
NC Not classified.
SAFETY PHRASES
P13 Safety data sheet available for professional user on request.

16 OTHER INFORMATION

REVISION DATE 14.01.10
REV. NO./REPL. SDS GENERATED 6
SDS NO. 10233

RISK PHRASES IN FULL

R22 Harmful if swallowed.
R31 Contact with acids liberates toxic gas.
R36 Irritating to eyes.
R7 May cause fire.